### - DAYID T. GIBSON



## WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT

(51) International Patent Classification 5: C12P 7/22, C07C 39/17		(11) International Publication Number:	WO 93/09241	
		(43) International Publication Date:	13 May 1993 (13.05.93)	
(21) International Application Number: PCT/US (22) International Filing Date: 29 October 1992 (30) Priority data: 07/785,978 31 October 1991 (31.10.9) (71) Applicant: BIO-TECHNICAL RESOURCES 1035 South 7th Street, Manitowoc, WI 54220 (72) Inventor: GRUND, Alan, Douglas; 3213 Lindbe Manitowoc, WI 54220 (US). (74) Agents: STEVENSON, Robert, B. et al.; E.L du Nemours and Company, Legal/Patent Record 1007 Market Street, Wilmington, DE 19898 (US)	(29.10.9) (US/US). Exp Drivers Pont is Central	KP, KR, LK, MG, MN, MW UA, European patent (AT, BI GB, GR, IE, IT, LU, MC, NI BJ, CF, CG, CI, CM, GA, GN  Published  With international search report Before the expiration of the tin claims and to be republished in amendments.	NO, PL, RO, RU, SD, E, CH, DE, DK, ES, FR, SE), OAPI patent (BF, ML, MR, SN, TD, TG).	
		·		

(54) Title: MICROBIAL PRODUCTION OF CIS-DIHYDRODIOL AND PHENOL DERIVATIVES OF BENZOCYCLOB-UTENE

#### (57) Abstract

A process for microbial conversion of benzocyclobutene to the corresponding 4,5-dihydrodiol followed by acid catalyzed dehydration to 4-hydroxybenzocyclobutene.

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT AUBER BER BER BER BER BER BER BER BER BER	Amtria Aestralia Berhados Belghan Burkisa Peso Bulgaria Benia Brazii Canada Cantral African Republic Congo Switzerland ("Ste d'Ivoire Cameroon Caschoulovakis Ceschenophilic	FR GA GRANG	France Gabon United Kingdom Gelson Greece Hingary Ireland Italy Japan Democratic People's Republic of Korea Republic of Korea Karakhstan Lischtenstels Sri Lankourg Mosaco	MR MW NL NO NZ PL PT RU SD SE SX SX SX ST TG UAS	Masritania Malawi Netherlands Norwey New Zealand Potand Potand Portugal Romania Russian Federation Sudan Swalen Stouk Republic Senegal Soviet Union Chad Topo Ukraine
DE	Germany			UA US	Utramic United States of America
DR	Commit	MG	Madagacar	US	Change 2010 of Victors

5

### TITLE

# MICROBIAL PRODUCTION OF CIS-DIHYDRODIOL AND PHENOL DERIVATIVES OF BENZOCYCLOBUTENE

# BACKGROUND OF THE INVENTION

### 1. Field of the Invention:

The present invention relates to the bioconversion of benzocyclobutene (BCB) to the 4,5-cis-dihydrodiol compound and the subsequent acid-catalyzed dehydration to form the 4-hydroxybenzocyclobutene compound. These novel compounds have utility as intermediates for the production of polymers.

2. Description of the Related Art:

Formation of cis-dihydrodiols from various aromatic hydrocarbons by bacteria has been described by D. T. Gibson et al., <u>Biochemistry</u>, vol. 9, No. 7, 1973, p. 1626<sup>+</sup> and p. 1631<sup>+</sup> and vol. 12, No.8, 1973, p. 1520<sup>+</sup>. A cis-dihydrodiol intermediate has been found to be a common metabolite in the bacterial degradation of a variety of aromatic hydrocarbons, including benzene, toluene, naphthalene, biphenyl, ethylbenzene, benzoic acid, phthalic acid, anthracene and phenanthrene. U.S. Patent No. 4,508,822 discloses the preparation of dihydrodiols of the general formula:

30

5

where R and R1 are substituents which may be the same or different, such as halogen, alkyl, and the like. Generally such dihydrodiols are of the 2,3-dihydrodiol configuration. That is, the hydroxy groups are introduced directly adjacent to the ring substituent R. The only known exception to this general rule is the 4,5-dihydrodiol formed by some bacteria in the degradation of phthalic acid.

U.S. Patent 4,520,103 describes the formation of the 2,3-dihydrodiol of indole as an intermediate in the production of indigo.

# SUMMARY OF THE INVENTION

The present invention relates to the formation of a dihydrodiol resulting from bacterial 15 bioconversion of the aromatic hydrocarbon benzocyclobutene. Mutant strains of Rhodococcus organisms capable of converting benzocyclobutene to the 4,5-dihydrodiol have been developed. The growth of the mutant strain in the presence of 20 benzocyclobutene results in the production of the 4.5-dihydrodiol intermediate of benzocyclobutene. Acid-catalyzed dehydration of the 4,5-dihydrodiol compound results in formation of 4-hydroxybenzocyclobutene. The corresponding 25 sequential reactions are outlined below.

ř

1

### -3-4-Hydroxybenzocyclobutene

10 4,5-Dihydrodiol

hydrocarbons.

4-Hydroxybenzocyclobutene

### DETAILED DESCRIPTION OF THE INVENTION

Organisms capable of growth on a variety of aromatic hydrocarbons such as benzene, toluene, 15 ethylbenzene and o-xylene were isolated from the environment by selective culture. Certain of the resulting isolates were found to partially metabolize benzocyclobutene to a mixture of dead-end metabolites, 20 but were not able to grow on benzocyclobutene. Mutants lacking a functional diol dehydrogenase were obtained by mutagenesis with N-methyl-N-nitro-N-nitrosoguanidine, followed by ampicillin/cycloserine enrichment for mutants unable to grow on toluene. Diol dehydrogenase deficient 25 mutants were identified by the accumulation of dihydrodiols upon exposure to various aromatic

The Mutant, 75-2, derived from a Rhodococcus isolate 75 WT, converts benzocyclobutene to the corresponding 4,5-dihydrodiol compound. The dihydrodiol at a concentration of two hundred to four thousand parts per million in aqueous solution is dehydrated by addition of a mineral acid such as hydrochloric acid or sulfuric acid to a concentration

1.

5

10

of 0.1 N to 8 N, preferably 1.0 to 5N at a temperature of 20° to 50°C for 15 minutes to 20 hours, preferably 1 to 10 hours. The resulting phenols can be recovered such as by extraction with water immiscible, polar organic solvents, such as ethyl acetate, methyl ethyl ketone, or the like. Generally over 95% of the recovered phenols are 4-hydroxybenzocyclobutene, with the balance 3-hydroxybenzocyclobutene. The 3-hydroxybenzocyclobutene results from a low level of hydroxyl migration during the dehydration reaction.

### Example

Rhodoccus strain 75-2 American Type Culture Collection (ATCC) 55201 is grown in baffled 125 ml Erlenmeyer flasks on a minimal salts medium with succinate at 1.0 wt % . Benzocyclobutene is supplied 15 as a vapor to the culture. After 24 hours incubation on a rotary shaker at 150 rpm and 30°C, the culture is acidified with HC1 to a concentration of 1.0 N, and held at room temperature for 4 hours. The broth was then extracted with an equal volume of ethyl acetate, 20 and analyzed for phenols by gas chromatography. The 4-Hydroxybenzocyclobutene was present at 235 ppm, the -3-hydroxybenzocyclobutene at 7 ppm.

#### -5-CLAIMS

- 4-Hydroxybenzocyclobutene.
- 5 2. A dihydrodiol of the formula

10

7

 A process for production of a dihydrodiol compound of the formula

15

20

comprising growing a mutant strain of Rhodococcus in a growth medium at 25° to 35°C and at a pH in the range of 6 to 8, in the presence of oxygen or an oxygen containing gas wherein benzocyclobutene is supplied to the growing mutant strain.

25

- 4. The process of claim 3 wherein the mutant strain is a strain of Rhodococcus WT.
- 5. The process of claim 4 wherein the dihydrodiol compound is treated at 20° to 50°C with an aqueous acid solution containing 0.1 to 8 N mineral acid for 15 minutes to 20 hours to form 4-hydroxybenzocyclobutene.

-6

6. The process of claim 5 wherein the 4-hydroxybenzocyclobutene is extracted from the acidified solution with a water immiscible, polar organic solvent.

5

7. The process of claim 6 wherein the strain is Rhodococcus ATCC 55201.

#### · INTERNATIONAL SEARCH REPORT

rnational application No. PCT/US 92/09214

### A. CLASSIFICATION OF SUBJECT MATTER IPC5: C12P 7/22, C07C 39/17 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC5: C12P, C07C Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) CA, BIOSIS C. DOCUMENTS CONSIDERED TO BE RELEVANT Category\* Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. Chemical Society Journal. Perkin transactions I. 1-7 Volume 8, 1980, Omar Abou-Teim et al., "Benzocyclobutenes. Part 5.1 Synthesis of 4-Hydroxy-, 4,5-Dihydroxy-, and 3, 6-Dihydroxy-benzocyclobutene-1,2-dione (Benzologues of Semisquaric and Squaric Acid)\*, page 1841 - page 1846, see example 3, p 1841 A J.Org.Chem., Volume 47, No 20, 1982, Michael'S. South et al., "Practical Multigram 1-7 Syntheses of Benzocyclobutenediones", page 3816 - page 3821, see p. 3816 Further documents are listed in the continuation of Box C. See patent family annex. later document published after the international filing date or priority date and not in conflict with the application but cited to understand the prioriple or theory underlying the invention Special categories of cited documents "A" document defining the general state of the art which is not considered to be of pasticular rein document of periodic relevance the cisimol invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "B" eriter document but published on or after the international filing date document which may throw doubts on priority delen(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of perticular relevance the claimed invention cumot be considered to involve an inventve step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document relating to an oral disciouse, use, exhibition or other document published prior to the international filling date but later than the priority-date cisimad est member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report .1 5 MAR 1993 <u>22 February 1993</u> Name and mailing address of the ISA/ Authorized officer

# INTERNATIONAL SEARCH REPORT

International application N .
PCT/US 92/09214

C (Continu	ation). DOCUMENTS CONSIDERED TO BE RELEVANT		1
ategory*	Citation of document, with indication, where appropriate, of the rela	Relevant to claim No.	
4	EP, A2, 0158424 (DIRECTOR-GENERAL OF THE AGENO INDUSTRIAL SCIENCE AND TECHNOLOGY), 16 October 1985 (16.10.85)	3-7	
	·		:
i			
	i i		
			-
	·		
			*
		•	
		:	
			•
		••	
		•	

#### INTERNATIONAL SEARCH REPORT Information on patent family members

29/01/93

International application No. PCT/US 92/09214

	locument arch report	Publication date		ent family nember(s)	Publication date	
EP-A2-	0158424	16/10/85	JP-C-	1435684	25/04/88	
			JP-A-	60210991	23/10/85	
•			JP <del>-B</del> -	62046157	30/09/87	
			US-A-	4824780	25/04/89	
			JP-C-	1435685	25/04/88	
	•		JP-A-	60210992	23/10/85	
	,		JP-B-	62046158	30/09/87	:

.

· **,** 

·

.